



Anlage I (zu § 1 Abs. 1) (nicht verkehrsfähige Betäubungsmittel)

(Fundstelle: BGBl. I 2001, 1180 - 1186;
bzgl. der einzelnen Änderungen vgl. Fußnote)

- Spalte 1 enthält die International Nonproprietary Names (INN) der Weltgesundheitsorganisation. Bei der Bezeichnung eines Stoffes hat der INN Vorrang vor allen anderen Bezeichnungen.
- Spalte 2 enthält andere nicht geschützte Stoffbezeichnungen (Kurzbezeichnungen oder Trivialnamen). Wenn für einen Stoff kein INN existiert, kann zu seiner eindeutigen Bezeichnung die in dieser Spalte fett gedruckte Bezeichnung verwendet werden. Alle anderen nicht fett gedruckten Bezeichnungen sind wissenschaftlich nicht eindeutig. Sie sind daher in Verbindung mit der Bezeichnung in Spalte 3 zu verwenden.
- Spalte 3 enthält die chemische Stoffbezeichnung nach der Nomenklatur der International Union of Pure and Applied Chemistry (IUPAC). Wenn in Spalte 1 oder 2 keine Bezeichnung aufgeführt ist, ist die der Spalte 3 zu verwenden.

INN	andere nicht geschützte oder Trivialnamen	chemische Namen (IUPAC)
Acetorphin	-	(4,5alpha-Epoxy-7alpha-((R)-2-hydroxypentan-2-yl)-6-methoxy-17-methyl-6,14-ethenomorphinan-3-yl)acetat
-	Acetyldihydrocodein	(4,5alpha-Epoxy-3-methoxy-17-methylmorphinan-6alphyyl)acetat
Acetylmethadol	-	(6-Dimethylamino-4,4-diphenyl-heptan-3-yl)acetat
-	Acetyl-alpha-methylfentanyl	N-Phenyl-N-(1-(1-phenyl-propan-2-yl)-4-piperidyl)acetamid
-	-	4-Allyloxy-3,5-dimethoxy-phenethylazan
Allylprodin	-	(3-Allyl-1-methyl-4-phenyl-4-piperidyl)propionat
Alphacetylmethadol	-	((3R,6R)-6-Dimethylamino-4,4-diphenylheptan-3-yl)acetat
Alphameprodin	-	((3RS,4SR)-3-Ethyl-1-methyl-4-phenyl-4-piperidyl)propionat
Alphamethadol	-	(3R,6R)-6-Dimethylamino-4,4-diphenylheptan-3-ol
Alphaproidin	-	((3RS,4SR)-1,3-Dimethyl-4-phenyl-4-piperidyl)propionat
Anileridin	-	Ethyl(1-(4-aminophenethyl)-4-phenyl-piperidin-4-carboxylat)
-	BDB	1-(1,3-Benzodioxol-5-yl)butan-2-ylazan



Benzethidin	-	Ethyl(1-(2-benzyloxy)ethyl)-4-phenyl-piperidin-4-carboxylat)
Benzfetamin	Benzphetamin	(Benzyl)(methyl)(1-phenylpropan-2-yl)azan
-	-	1-(1,3-Benzodioxol-5-yl)-2-(pyrrolidin-1-yl)propan-1-on
-	Benzylfentanyl	N-(1-Benzyl-4-piperidyl)-N-phenyl-propanamid
-	Benzylmorphin	3-Benzyl-4,5-epoxy-17-methylmorphin-7-en-6alpha-ol
Betacetylmethadol	-	((3S,6R)-6-Dimethylamino-4,4-diphenylheptan-3-yl)acetat
Betameprodin	-	((3RS,4RS)-3-Ethyl-1-methyl-4-phenyl-4-piperidyl)propionat
Betamethadol	-	(3S,6R)-6-Dimethylamino-4,4-diphenylheptan-3-ol
Betaprodin	-	((3RS,4RS)-1,3-Dimethyl-4-phenyl-4-piperidyl)propionat
Bezitramid	-	4-(4-(2-Oxo-3-propionyl-2,3-dihydrobenzimidazol-1-yl)piperidino)-2,2,-diphenyl-butannitril
Brolamfetamin	Dimethoxybromamfetamin (DOB)	(RS)-1-(4-Brom-2,5-dimethoxy-phenyl)propan-2-ylazan
-	Bromdimethoxyphenethylamin (BDMPEA)	4-Brom-2,5-dimethoxyphenethyl-azan
-	Cannabis (Marihuana, Pflanzen - und Pflanzenteile der zur Gattung Cannabis gehörenden Pflanzen)	

- ausgenommen

- a) deren Samen, sofern er nicht zum unerlaubten Anbau bestimmt ist,
- b) wenn sie aus dem Anbau in Ländern der Europäischen Union mit zertifiziertem Saatgut von Sorten stammen, die am 15. März des Anbaujahres in dem in Artikel 10 der Verordnung (EG) Nr. 1120/2009 der Kommission vom 29. Oktober 2009 mit Durchführungsbestimmungen zur Betriebsprämienregelung gemäß Titel III der Verordnung (EG) Nr. 73/2009 des Rates mit gemeinsamen Regeln für Direktzahlungen im Rahmen der gemeinsamen Agrarpolitik und mit bestimmten Stützungsregelungen für Inhaber landwirtschaftlicher Betriebe (ABl. L 316 vom 2.12.2009, S. 1) in der jeweils geltenden Fassung genannten gemeinsamen Sortenkatalog für landwirtschaftliche Pflanzenarten aufgeführt sind, ausgenommen die Sorten Finola und Tiborszallasi, oder ihr Gehalt an Tetrahydrocannabinol 0,2 vom Hundert nicht übersteigt und der Verkehr mit ihnen (ausgenommen der Anbau) ausschließlich gewerblichen oder wissenschaftlichen Zwecken dient, die einen Missbrauch zu Rauschzwecken ausschließen,
- c) wenn sie als Schutzstreifen bei der Rübenzüchtung gepflanzt und vor der Blüte



vernichtet werden,

d) wenn sie von Unternehmen der Landwirtschaft angebaut werden, die die Voraussetzungen des § 1 Abs. 4 des Gesetzes über die Alterssicherung der Landwirte erfüllen, mit Ausnahme von Unternehmen der Forstwirtschaft, des Garten- und Weinbaus, der Fischzucht, der Teichwirtschaft, der Imkerei, der Binnenfischerei und der Wanderschäferei, oder die für eine Beihilfegewährung nach der Verordnung (EG) Nr. 73/2009 des Rates vom 19. Januar 2009 mit gemeinsamen Regeln für Direktzahlungen im Rahmen der gemeinsamen Agrarpolitik und mit bestimmten Stützungsregelungen für Inhaber landwirtschaftlicher Betriebe und zur Änderung der Verordnungen (EG) Nr. 1290/2005, (EG) Nr. 247/2006, (EG) Nr. 378/2007 sowie zur Aufhebung der Verordnung (EG) Nr. 1782/2003 (ABl. L 30 vom 31.1.2009, S. 16) in der jeweils geltenden Fassung in Betracht kommen und der Anbau ausschließlich aus zertifiziertem Saatgut von Sorten erfolgt, die am 15. März des Anbaujahres in dem in Artikel 10 der Verordnung (EG) Nr. 1120/2009 genannten gemeinsamen Sortenkatalog für landwirtschaftliche Pflanzenarten aufgeführt sind (Nutzhanf) oder

e) zu den in den Anlagen II und III bezeichneten Zwecken -

-	Cannabisharz (Haschisch, das abgesonderte Harz der zur Gattung Cannabis gehörenden Pflanzen=)	-
Carfentanil	-	Methyl(1-phenethyl-4-(N-phenylpropanamido)piperidin-4-carboxylat)
Cathinon	-	(S)-2-Amino-1-phenylpropan-1-on
-	2CI	4-Iod-2,5-dimethoxyphenethyl-azan
-	6-Cl-MDMA	(1-(6-Chlor-1,3-benzodioxol-5-yl)propan-2-yl)(methyl)azan
Clonitazen	-	(2-(2-(4-Chlorbenzyl)-5-nitrobenzimidazol-1-yl)ethyl)diethylazan
-	Codein-N-oxid-	4,5alpha-Epoxy-3-methoxy-17-methylmorphin-7-en-6alpha-ol-17-oxid
-	2C-T-2	4-Ethylsulfanyl-2,5-dimethoxyphenethylazan
-	2C-T-7	2,5-Dimethoxy-4-(propylsulfanyl)phenethylazan
Codoxim	-	(4,5alpha-Epoxy-3-methoxy-17-methylmorphinan-6-yliden-aminooxy)essigsäure
Desomorphin	Dihydrodesoxymorphin	4,5alpha-Epoxy-17-methyl-morphinan-3-ol
Diampromid	-	N-(2-((Methyl)(phenethyl)amino)propyl)-N-phenylpropanamid
-	Diethoxybromamfetamin	1-(4-Brom-2,5-diethoxyphenyl)propan-



		2-ylazan
Diethylthiambuten	-	Diethyl(1-methyl-3,3-di-2-thienylallyl)azan
-	N,N-Diethyltryptamin (Diethyltryptamin, DET)	Diethyl(2-(indol-3-yl)ethyl)azan
-	Dihydroetorphin (18,19-Dihydroetorphin)	(5R,6R,7R,14R)-4,5alpha-Epoxy-7alpha-((R)-2-hydroxypentan-2-yl)-6-methoxy-17-methyl-6,14-ethanomorphinan-3-ol
Dimenoxadol	-	(2-Dimethylaminoethyl)(ethoxy)(diphenyl)acetat)
Dimepheptanol	Methadol	6-Dimethylamino-4,4-diphenyl-heptan-3-ol
-	Dimethoxyamfetamin (DMA)	1-(2,5-Dimethoxyphenyl)propan-2-ylazan
-	Dimethoxyethylamfetamin (DOET)	1-(4-Ethyl-2,5-dimethoxyphenyl)propan-2-ylazan
-	Dimethoxymethylamfetamin (DOM, STP)	(RS)-1-(2,5-Dimethoxy-4-methylphenyl)propan-2-ylazan
-	Dimethylheptyltetrahydrocannabinol (DMHP)	6,6,9-Trimethyl-3-(3-methyl-octan-2-yl)-7,8,9,10-tetra-hydro-6H-benzo(c)chromen-1-ol
Dimethylthiambuten	-	Dimethyl(1-methyl-3,3-di-2-thienylallyl)azan
-	N,N-Dimethyltryptamin (Dimethyltryptamin, DMT)	(2-(Indol-3-yl) ethyl)dimethyl-azan
Dioxaphetylbutyrat	-	Ethyl-(4-morpholino-2,2-diphenylbutanoat)
Dipipanon	-	4,4-Diphenyl-6-piperidinoheptan-3-on
-	DOC	1-(4-Chlor-2,5-dimethoxyphenyl)propan-2-ylazan
Drotebanol	-	3,4-Dimethoxy-17-methyl-morphinan-6ß,14-diol
Ethylmethylthiambuten	-	(Ethyl)(methyl)(1-methyl-3,3-di-2-thienylallyl)azan
-	Ethylpiperidylbenzilat	(1-Ethyl-3-piperidyl)benzilat
Eticyclidin	PCE	(Ethyl(1-phenylcyclohexyl)azan
Etonitazen	-	(2-(2-(4-Ethoxybenzyl)-5-nitrobenzimidazol-1-yl)ethyl)diethylazan
Etoxeridin	-	Ethyl(1-(2-(2-hydroxyethoxy)ethyl)-4-phenylpiperidin-4-carboxylat)
Etryptamin	alpha-Ethyltryptamin	1-(Indol-3-yl)butan-2-ylazan
-	FLEA	N-(1-(1,3-Benzodioxol-5-yl)propan-2-



-	4-Fluoramfetamin (4-FA, 4-FMP)	yl)-N-methyl-hydroxylamin (RS)-1-(4-Fluorphenyl)propan-2-amin
-	p-Fluorfentanyl	N-(4-Fluorphenyl)-N-(1-phenethyl-4-piperidyl)propanamid
Furethidin	-	Ethyl(4-phenyl-1-(2-tetrahydrofurfuryloxy)ethyl)piperidin-4-carboxylat)
-	Heroin (Diacetylmorphin, Diamorphin) – ausgenommen Diamorphin zu den in den Anlagen II und III bezeichneten Zwecken –	((5R,6S)-4,5-Epoxy-17-methylmorphin-7-en-3,6-diyl)diacetat
Hydromorphinol	14-Hydroxydihydromorphin	4,5alpha-Epoxy-17-methyl-morphinan-3,6alpha,14-triol
-	N-Hydroxyamfetamin (NOHA)	N-(1-Phenylpropan-2-yl)hydroxylamin
-	β-Hydroxyfentanyl	N-(1-(2-Hydroxy-2-phenyl-ethyl)-4-piperidyl)-N-phenylpropanamid
-	Hydroxymethylendioxyamfetamin (N-Hydroxy-MDA,MDOH) (N-Hydroxy-MDA,MDOH)	N-(1-(1,3-Benzodioxol-5-yl)
-	beta-Hydroxy-3-methylfentanyl (Ohmefentanyl)	N-(1-(2-Hydroxy-2-phenyl-ethyl)-3-methyl-4-piperidyl)-N-phenylpropanamid
Hydroxypethidin	-	Ethyl(4-(3-hydroxyphenyl)-1-methylpiperidin-4-carboxylat)
Lefetamin	SPA	((R)-1,2-Diphenylethyl)dimethylazan
Levomethorphan	-	(9R,13R,14R)-3-Methoxy-17-methylmorphinan
Levophenacylmorphinan	-	2-((9R,13R,14R)-3-Hydroxymorphinan-17-yl)-1-phenyl-ethanon
Lofentanil	-	Methyl((3R,4S)-3-methyl-1-phenethyl-4-(N-phenyl-propanamido)piperidin-4-carboxylat)
Lysergid	N,N-Diethyl-D-lysergamid (LSD,LSD-25)	N,N-Diethyl-6-methyl-9,10-didehydroergolin-8beta-carboxamid
-	MAL	3,5-Dimethoxy-4-(2-methylallyloxy)phenethylazan
-	MBDB	(1-(1,3-Benzodioxol-5-yl)butan-2-yl)(methyl)azan
-	Mebroqualon	3-(2-Bromphenyl)2-methyl-chinazolin-4(3H)-on
Mecloqualon	-	3-(2-Chlorphenyl)-2-methyl-chinazolin-4(3H)-on



-	Mescaline	3,4,5-Trimethoxyphenethylazan
Metazocin	-	3,6,11-Trimethyl-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol
-	Methcathinon (Ephedron)	2-Methylamino-1-phenylpropan-1-on
-	Methoxyamfetamin (PMA)	1-(4-Methoxyphenyl)propan-2-ylazan
-	5-Methoxy-N,N-diisopropyltryptamin (5-MeO-DIPT)	Diisopropyl(2-(5-methoxyindol-3-yl)ethyl)azan
-	5-Methoxy-DMT (5-MeO-DMT)	(2-(5-Methoxyindol-3-yl)ethyl)dimethylazan
-	-	(2-Methoxyethyl)(1-phenylcyclohexyl)azan
-	Methoxymetamfetamin (PMMA)	(1-(4-Methoxyphenyl)propan-2-yl)(methyl)azan
-	Methoxymethylendioxyamfetamin (MMDA)	1-(7-Methoxy-1,3-benzodioxol-5-
-	-	(3-Methoxypropyl)(1-phenylcyclohexyl)azan
-	Methylaminorex (4-Methylaminorex)	4-Methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-ylazan
Methyl-desorphan	-	4,5alpha-Epoxy-6,17-dimethylmorphin-6-en-3-ol
Methyldihydromorphin	-	4,5alpha-Epoxy-6,17-dimethylmorphinan-3,6alpha-diol
-	Methylendioxyethylamfetamin (N-Ethyl-MDA, MDE, MDEA)	(1-(1,3-Benzodioxol-5-yl)propan-2-yl)(ethyl)azan
-	Methylendioxymetamfetamin (MDMA)	(1-(1,3-Benzodioxol-5-yl)propan-2-yl)(methyl)azan
-	alpha-Methylfentanyl	N-Phenyl-N-(1-(1-phenylpropan-2-yl)-4-piperidyl)propanamid
-	3-Methylfentanyl (Mefentanyl)	N-(3-Methyl-1-phenethyl-4-piperidyl)-N-phenylpropanamid
-	Methylmethaqualon	3-(2,4-Dimethylphenyl)-2-methylchinazolin-4(3H)on
-	4-Methylmethcathinon (Mephedron)	1-(4-Methylphenyl)-2-methylaminopropan-1-on
-	Methylphenylpropionoxypiperidin (MPPP)	(1-Methyl-4-phenyl-4-piperidyl)propionat
-	Methyl-3-phenylpropylamin (1M-3PP)	(Methyl)(3-phenylpropyl)azan
-	Methylphenyltetrahydropyridin (MPTP)	1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridin
-	Methylpiperidylbenzilal	(1-Methyl-3-piperidyl)benzilal



-	4-Methylthioamfetamin (4-MTA)	1-(4-(Methylsulfanyl)phenyl)propan-2-ylazan
-	alpha-Methylthiofentanyl	N-Phenyl-N-(1-(1-(2-thienyl)propan-2-yl)-4-piperidyl)propanamid
-	3-Methylthiofentanyl	N-(3-Methyl-1-(2-(2-thienyl)ethyl)-4-piperidyl)-N-phenyl-propanamid
-	alpha-Methyltryptamin (alpha-MT)	1-(Indol-3-yl)propan-2-ylazan
Metopon	5-Methyldihydromorphinon	4,5alpha-Epoxy-3-hydroxy-5,17-dimethylmorphinan-6-on
Morpheridin	-	Ethyl(1-(2-morpholinoethyl)-4-phenylpiperidin-4-carboxylat)
-	Morphin-N-oxid	(5R,6S)-4,5-Epoxy-3,6-dihydroxy-17-methylmorphin-7-en-17-oxid
Myrophin	Myristylbenzylmorphin	(3-Benzylloxy-4,5alpha-epoxy-17-methylmorphin-7-en-6-yl)tetradecanoat
Nicomorphin	3,6-Dinicotinoylmorphin	4,5alpha-Epoxy-17-methyl-morphin-7-en-3,6alpha-diyl)dinicotinat
Noracymethadol	-	(6-Methylamino-4,4-diphenyl-heptan-3-yl)acetat
Norcodein	N-Desmethylnorcodein	4,5alpha-Epoxy-3-methoxy-morphin-7-en-6alpha-ol
Norlevorphanol	(-)-3-Hydroxymorphinan	(9R,13R,14R)-Morphinan-3-ol
Normorphin EUR	Desmethylnormorphin	4,5alpha-Epoxy-morphin-7-en-3,6alpha-diol
Norpipanon	-	4,4-Diphenyl-6-piperidinohexan-3-on
-	Parahexyl	3-Hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-benzo(c)chromen-1-ol
-	PCPr	(1-Phenylcyclohexyl)(propyl)azan
Phenadoxon	-	6-Morpholino-4,4-diphenyl-heptan-3-on
Phenampropomid	-	N-Phenyl-N-(1-piperidinopropan-2-yl)propanamid
Phenazocin	-	6,11-Dimethyl-3-phenethyl-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol
Phencyclidin	PCP	1-(1-Phenylcyclohexyl)piperidin
-	Phenethylphenylacetoxypiperidin (PEPAP)	(1-Phenethyl-4-phenyl-4-piperidyl)acetat
-	Phenethylphenyltetrahydropyridin (PEPTP)	1-Phenethyl-4-phenyl-1,2,3,6-tetrahydropyridin
Phenpromethamin	1-Methylamino-2-phenylpropan (PPMA)	(Methyl)(2-phenylpropyl)azan
Phenomorphin	-	17-Phenethylmorphinan-3-ol
Phenoperidin	-	Ethyl (1-(3-hydroxy-3-phenyl-propyl)-



Piminodin	-	4-phenylpiperidin-4-carboxylat
-	PPP	Ethyl(1-(3-anilinopropyl)-4-phenylpiperidin-4-carboxylat)
Proheptazin	-	1-Phenyl-2-(pyrrolidin-1-yl)propan-1-on
Properidin	-	(1,3-Dimethyl-4-phenylazepan-4-yl)propionat
-	Psilocin (Psilotsin)	Isopropyl(1-methyl-4-phenyl-piperidin-4-carboxylat)
-	Psilocin-(eth)	3-(2-Dimethylaminoethyl)indol-4-ol
Psilocybin	-	3-(2-Diethylaminoethyl)indol-4-ol
-	Psilocybin-(eth)	(3-(2-Dimethylaminoethyl)indol-4-yl)dihydrogenphosphat
-	-	(3-(2-Diethylaminoethyl)indol-4-yl)dihydrogenphosphat
Racemethorphan	-	2-(Pyrrolidin-1-yl)-1-(p-tolyl)propan-1-on
Rolicyclidin	PHP (PCPy)	(9RS,13RS,14RS)-3-Methoxy-17-methylmorphinan
-	Salvia divinorum (Pflanzen und Pflanzenteile)	1-(1-Phenylcyclohexyl)pyrrolidin
Tenamfetamin	Methylendioxyamfetamin (MDA)	-
Tenocyclidin	TCP	(RS)-1-(1,3-Benzodioxol-5-yl)propan-2-ylazan
-	Tetrahydrocannabinole, folgende Isomeren und ihre stereochemischen Varianten:	1-(1-(2-Thienyl)cyclohexyl)piperidin
-	delta6a(10a)-Tetrahydrocannabinol (delta6a(10a)-THC)	6,6,9-Trimethyl-3-pentyl-7,8,9,10-tetrahydro-6H-benzo(c)chromen-1-ol
-	delta6a-Tetrahydrocannabinol (delta6a-THC)	(9R,10aR)-6,6,9-Trimethyl-3-pentyl-8,9,10,10a-tetrahydro-6H-benzo(c)chromen-1-ol(6aR,9R,10aR)-
-	delta7-Tetrahydrocannabinol (delta7-THC)	6,6,9-Trimethyl-3-pentyl-6a,9,10,10a-tetrahydro-6H-benzo(c) chromen-1-ol
-	delta8-Tetrahydrocannabinol (delta8-THC)	(6aR,10aR)-6,6,9-Trimethyl-3-pentyl-6a,7,10,10a-tetrahydro-6H-benzo(c)chromen-1-ol(6aR)-6,6,9-Trimethyl-3-pentyl-6a,7,8,9-tetrahydro-6H-benzo(c)chromen-1-ol
-	delta10-Tetrahydrocannabinol (delta10-THC)	(6aR,10aR)-6,6-Dimethyl-9-methylen-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo(c) chromen-1-ol
-	delta9(11)-Tetrahydrocannabinol (delta9(11)-THC)	N-Phenyl-N-(1-thenyl-4-
-	Thenylfentanyl	



-	Thiofentanyl	piperidyl)propanamid N-Phenyl-N-(1-(2-(2-thienyl)ethyl)-4-piperidyl)propanamid
Trimeperidin	-	(1,2,5-Trimethyl-4-phenyl-4-piperidyl)propionat
-	Trimethoxyamfetamin (TMA)	1-(3,4,5-Trimethoxyphenyl)propan-2-ylazan
-	2,4,5-Trimethoxyamfetamin (TMA-2)	1-(2,4,5-Trimethoxyphenyl)propan-2-ylazan

- die Ester, Ether und Molekülverbindungen der in dieser Anlage aufgeführten Stoffe, wenn sie nicht in einer anderen Anlage verzeichnet sind und das Bestehen solcher Ester, Ether und Molekülverbindungen möglich ist;

- die Salze der in dieser Anlage aufgeführten Stoffe, wenn das Bestehen solcher Salze möglich ist;

- die Zubereitungen der in dieser Anlage aufgeführten Stoffe, wenn sie nicht

a)

ohne am oder im menschlichen oder tierischen Körper angewendet zu werden, ausschließlich diagnostischen oder analytischen Zwecken dienen und ihr Gehalt an einem oder mehreren Betäubungsmitteln jeweils 0,001 vom Hundert nicht übersteigt oder die Stoffe in den Zubereitungen isotonenmodifiziert oder

b)

besonders ausgenommen sind;

- die Stereoisomere der in dieser oder einer anderen Anlage aufgeführten Stoffe, wenn sie als Betäubungsmittel missbräuchlich verwendet werden sollen;

- Stoffe nach § 2 Absatz 1 Nummer 1 Buchstabe b bis d mit in dieser oder einer anderen Anlage aufgeführten Stoffen sowie die zur Reproduktion oder Gewinnung von Stoffen nach § 2 Absatz 1 Nummer 1 Buchstabe b bis d geeigneten biologischen Materialien, wenn ein Missbrauch zu Rauschzwecken vorgesehen ist.